




Plastics Processing

Plastics Processing

WAMGROUP® offers specialised system components tailored to the specific requirements of project engineers of raw material handling and processing plants for the production of plastic materials, as well as for processing plants dedicated to plastics extrusion, injection moulding and blow moulding processes. By selecting this specialised equipment, system designers have the assurance they will combine top quality and performance with the highest possible operating efficiency.



- 1** Bin Activator BA-310
Maximum work safety



- 2** Screw Feeders TX-310
Minimum residue stainless steel design



- 3** WAMFLO® Dust Collector FNX-310
Compliant with ATEX and latest health & safety standards



- 4** Pneumatic Hammer MARTSHOCK PS-310
Highly efficient even with hygroscopic materials



- 5** GUNJET "PG" Air Cannons
Ideal for filamentous materials or flakes



- 6** PICJET® "PJ" Combined Hammer Blasts
150,000 blows guarantee



- 7** External Pneumatic Linear Vibrators K-Type
Wide amplitude with low frequency



- 8** S-Type External Pneumatic Vibrators
Maintenance-free



- 9** External Electric Vibrators MVE-Type
2-years-warranty including electric components



- 10** VB-Type Vibrating Bin Aerators
Combined vibration and aeration effect



- 11** BELLOJET® ZA Tanker Loading Bellows
Built-in low-profile dust collector



- 12** ZG Tanker Loading Bellows
 $\varnothing = 114 \sim 660 \text{ mm}$
 $(5\frac{1}{2}'' \sim 26'')$



- 13** ILT Rotary Level Indicators
ATEX Zone 20/21-certified



- 14** RV-RVR Drop-Through Rotary Valves
Air-purged seals



- 15** RVS Drop-Through Rotary Valves
304/316 SS design: no product contamination



- 16** VAR Diverter Valves
Inflatable seal



- 17** VM Pinch Valves
Easy sleeve replacement



- 18** VL Slide Valves
No seal adjustment requirement



- 19** Micro-Batch Feeders MBF-310
Maximum process reliability



- 20** DVA-310 Diverter Valves
Dustproof sealing; no grinding or jamming



- 21** VCP Spring-Loaded Pressure Relief Valves
Maximum work safety; ATEX zone 21-certified



- 22** VFS Butterfly Valves
Easy maintenance: small number of components




- 23** EXTRABEND®/EXTRACURVE® Pipe Elbows
Abrasion-resistant; lightweight design



- 24** RBB FIBC Filling Stations
Dust-free Bulk Bag filling



- 25** SBB FIBC Dischargers
Efficient Bulk Bag discharging



- 26** RSM Manual Bag Openers
Operator-friendly design



- 27** BINSWEEP® Rotary Bin Dischargers BSN
Height-saving discharge



- 28** COM Waste Bag Compactors
Highly efficient bag disposal



- 29** RSA Automatic Bag Splitters
Best price-performance ratio on the market



- 30** Batch-Type Single Shaft Mixers WBHV
Short mixing and discharge time



- 31** Batch-Type Single Shaft Mixers WAH
High Productivity



- 32** Ribbon Blenders WBN
Gentle blending



- 33** MBF+BE Loss-in-Weight Feeding System
Highly reliable and durable





UNI EN ISO 9001
Certified Company

03/20150 September 2012 Rights reserved to modify technical specifications.

WAM Inc.
1300 Triad Blvd.;
Fort Worth, TX 76131
Tel.: +1 817-232-2678

75 Boulderbrook Circle;
Lawrenceville, GA 30045
Tel.: +1 770-339-6767



Bin activators and precision screw feeders



Micro-batch feeders on top of extruder



Drum-type diverter valve in pneumatic conveying system



Dust collector in car tank factory



www.wamgroup.com